

CD88 Polyclonal Antibody

Description

Product type	Primary Antibody
Code	BT-AP01557
Host	Rabbit
Isotype	IgG
Size	20ul, 50ul, 100ul
Immunogen	The antiserum was produced against synthesized peptide derived from the N-terminal region of human C5AR1. AA range:1-50
Mol wt	38500
Species reactivity	Human
Clonality	Polyclonal
Recommended application	WB, ELISA
Concentration	1 mg/ml
Full name	CD88 Antibody
Synonyms	C5AR1; C5AR; C5R1; C5a anaphylatoxin chemotactic receptor; C5a-R; C5aR; CD88

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

Background

OPRPN (opiorphin prepropeptide) encodes a member of the proline-rich protein family. The encoded protein has multiple proposed functions, including roles in pain suppression, penile erection, and protection of the eye surface. The QRFSR pentapeptide, known as opiorphin, is derived from the N-terminal of this protein. Opiorphin inhibits the enkephalin-inactivating peptidases neprilysin and aminopeptidase N, and this activity is thought to reduce sensitivity to painful stimuli by effecting enkephalin-related activation of opioid-dependent pathways. Opiorphin may also act as an anti-depressant. Alternative splicing results in multiple transcript variants.


Recommended Dilution

WB: 1: 500 - 1: 2000


ELISA: 1: 10000

Not yet tested in other applications.

Images



Western blot analysis of MOUSE-BRAIN RAT-SPLEEN lysis using C5AR1 antibody. Antibody was diluted at 1:1000. Secondary antibody was diluted at 1:20000



Western Blot analysis of various cells using Antibody diluted at 1:1000. Secondary antibody was diluted at 1:20000

Storage

-20°C for one year

501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China

Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com