

Cleaved-Tumstatin (P1426) Polyclonal Antibody

Description

Product type Primary Antibody

Code BT-AP01968

Host Rabbit

Isotype IgG

Size 20ul, 50ul, 100ul

Immunogen The antiserum was produced against synthesized peptide derived from human Collagen IV alpha3. AA

range:1407-1456

Mol wt 161813

Species reactivity Human, Monkey

Clonality Polyclonal

Recommended application WB, ELISA

Concentration 1 mg/ml

Full name Cleaved-Tumstatin (P1426) Antibody

Synonyms COL4A3; Collagen alpha-3(IV) chain; Goodpasture antigen

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

Background


Type IV collagen, the major structural component of basement membranes, is a multimeric protein composed of 3 alpha subunits. These subunits are encoded by 6 different genes, alpha 1 through alpha 6, each of which can form a triple helix structure with 2 other subunits to form type IV collagen. COL4A3 encodes alpha 3. In the Goodpasture syndrome, autoantibodies bind to the collagen molecules in the basement membranes of alveoli and glomeruli. The epitopes that elicit these autoantibodies are localized largely to the non-collagenous C-terminal domain of the protein. A specific kinase phosphorylates amino acids in this same C-terminal region and the expression of this kinase is upregulated during pathogenesis. COL4A3 is also linked to an autosomal recessive form of Alport syndrome. The mutations contributing to this syndrome are also located within the exons that encode this C-terminal region. Like the other members of the type IV collagen gene family, COL4A3 is organized in a head-to-head conformation with another type IV collagen gene so that each gene pair shares a common promoter.

Recommended Dilution


WB: 1: 500 - 1: 2000 ELISA: 1: 40000

Not yet tested in other applications.

Images



Western Blot analysis of various cells using Cleaved-Turnstatin (P1426) Polyclonal Antibody



Western blot analysis of lysates from Jurkat and COS7 cells, treated with etoposide 25uM 24h, using Collagen IV alpha3 (Cleaved-Pro1426) Antibody. The lane on the right is blocked with the synthesized peptide.

Storage

-20°C for one year

501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China

Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com