

DNA pol lambda Polyclonal Antibody

Description

Product type Primary Antibody

Code BT-AP02666

Host Rabbit

Isotype IgG

Size 20ul, 50ul, 100ul

Immunogen The antiserum was produced against synthesized peptide derived from human DNA Polymerase lambda.

AA range:451-500

Mol wt 63482

Species reactivity Human, Mouse, Rat

Clonality Polyclonal

Recommended application WB, IHC-p, ELISA

Concentration 1 mg/ml

Full name DNA pol lambda Antibody

Synonyms POLL; DNA polymerase lambda; Pol Lambda; DNA polymerase beta-2; Pol beta2; DNA polymerase

kappa

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

Background


POLL encodes a DNA polymerase. DNA polymerases catalyze DNA-template-directed extension of the 3'-end of a DNA strand. This particular polymerase, which is a member of the X family of DNA polymerases, likely plays a role in non-homologous end joining and other DNA repair processes. Alternatively spliced transcript variants have been described.

Recommended Dilution

WB: 1: 500 - 1: 2000 IHC: 1: 100 - 1: 300 ELISA: 1: 10000

Not yet tested in other applications.


Images



Immunohistochemical analysis of paraffin-embedded Human breast cancer. Antibody was diluted at $1:100(4^{\circ} \text{ overnight})$. High-pressure and temperature Tris-EDTA,pH8.0 was used for antigen retrieval. Negetive contrl (right) obtaned from antibody was pre-absorbed by immunogen peptide.

(kD)
11785483426-

Western Blot analysis of various cells using DNA pol λ Polyclonal Antibody cells nucleus.



Western blot analysis of lysates from 293 cells, using DNA Polymerase lambda Antibody. The lane on the right is blocked with the synthesized peptide.

Storage

-20°C for one year

501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China

Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com