

IL-5R Alpha Polyclonal Antibody

Description

Product type Primary Antibody

Code BT-AP04509

Host Rabbit

Isotype IgG

Size 20ul, 50ul, 100ul

Immunogen The antiserum was produced against synthesized peptide derived from the N-terminal region of human

IL5RA. AA range:41-90

Mol wt 47685

Species reactivity Human

Clonality Polyclonal

Recommended application WB, ELISA

Concentration 1 mg/ml

Full name IL-5Ralpha Antibody

Synonyms IL5RA; IL5R; Interleukin-5 receptor subunit alpha; IL-5 receptor subunit alpha; IL-5R subunit alpha; IL-5R

5R-alpha; IL-5RA; CDw125; CD125

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

Background


Interleukin-5 receptor subunit alpha encoded by IL5RA is an interleukin 5 specific subunit of a heterodimeric cytokine receptor. The receptor is comprised of a ligand specific alpha subunit and a signal transducing beta subunit shared by the receptors for interleukin 3 (IL3), colony stimulating factor 2 (CSF2/GM-CSF), and interleukin 5 (IL5). The binding of this protein to IL5 depends on the beta subunit. The beta subunit is activated by the ligand binding, and is required for the biological activities of IL5. This protein has been found to interact with syndecan binding protein (syntenin), which is required for IL5 mediated activation of the transcription factor SOX4. Several alternatively spliced transcript variants encoding four distinct isoforms have been reported.

Recommended Dilution

WB: 1: 500 - 1: 2000 ELISA: 1: 20000

Not yet tested in other applications.

Images



Western Blot analysis of K562 cells using IL-5Ra Polyclonal Antibody. Secondary antibody was diluted at 1:20000

Western blot analysis of lysate from K562 cells, using IL5RA Antibody.

Storage

-20°C for one year

501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com