

RCL1 Polyclonal Antibody

Description

Product type	Primary Antibody
Code	BT-AP07724
Host	Rabbit
Isotype	IgG
Size	20ul, 50ul, 100ul
Immunogen	The antiserum was produced against synthesized peptide derived from human RCL1. AA range:324-373
Mol wt	40843
Species reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Recommended application	WB, ELISA
Concentration	1 mg/ml
Full name	RCL1 Antibody
Synonyms	RCL1; RNAC; RPC2; RPCL1; RTC2; HSPC338; RNA 3'-terminal phosphate cyclase-like protein

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

Background

RCL1 (RNA Terminal Phosphate Cyclase Like 1) is a Protein Coding gene. Among its related pathways are Gene Expression and Ribosome biogenesis in eukaryotes. GO annotations related to this gene include RNA binding and RNA-3-phosphate cyclase activity. An important paralog of this gene is RTCA. oes not have cyclase activity. Plays a role in 40S-ribosomal-subunit biogenesis in the early pre-rRNA processing steps at sites A0, A1 and A2 that are required for proper maturation of the 18S RNA (By similarity).


Recommended Dilution

WB: 1: 500 - 1: 2000


ELISA: 1: 40000

Not yet tested in other applications.


Images



Western blot analysis of lysates from HUVEC cells, using RCL1 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from HepG2 cells using RCL1 antibody.



Western Blot analysis of HUVEC cells using RCL1 Polyclonal Antibody cells nucleus.

Storage

-20°C for one year

501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China

Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com