

# SR-1F Polyclonal Antibody

# Description

Product type Primary Antibody

Code BT-AP08532

Host Rabbit

Isotype IgG

Size 20ul, 50ul, 100ul

Immunogen The antiserum was produced against synthesized peptide derived from human 5-HT-1F. AA range:101-150

Mol wt 41709

Species reactivity Human, Mouse, Rat, Monkey

Clonality Polyclonal

Recommended application WB, IF, ELISA

Concentration 1 mg/ml

Full name SR-1F Antibody

Synonyms HTR1F; HTR1EL; 5-hydroxytryptamine receptor 1F; 5-HT-1F; 5-HT1F; Serotonin receptor 1F

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

# Background


HTR1F (5-Hydroxytryptamine Receptor 1F) is a Protein Coding gene. Diseases associated with HTR1F include migraine with or without aura 1. Among its related pathways are Signaling by GPCR and cAMP signaling pathway. Gene Ontology (GO) annotations related to this gene include G-protein coupled receptor activity and serotonin binding. An important paralog of this gene is DRD4. G-protein coupled receptor for 5-hydroxytryptamine (serotonin). Also functions as a receptor for various alkaloids and psychoactive substances. Ligand binding causes a conformation change that triggers signaling via guanine nucleotide-binding proteins (G proteins) and modulates the activity of down-stream effectors, such as adenylate cyclase. Signaling inhibits adenylate cyclase activity. Serotonin 5-HT1F receptors, previously known as 5-HT1Ebeta receptors, are located primarily in the hippocampus, cortex and dorsal raphe nucleus. The human 5-HT1F receptor is closely related to the 5-ht1E receptor and its gene has been localized to chromosome 3 (3q11).

#### Recommended Dilution


WB: 1: 500 - 1: 2000 IF: 1: 200 - 1: 1000 ELISA: 1: 40000

Not yet tested in other applications.

# **Images**



Western blot analysis of lysates from COS7 cells, using 5-HT-1F Antibody. The lane on the right is blocked with the synthesized peptide.



Western Blot analysis of various cells using SR-1F Polyclonal Antibody diluted at 1:1000

# Storage

-20°C for one year

501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com