

UPAR Rabbit Polyclonal Antibody

Description

Product type	Primary Antibody
Code	BT-AP13390
Host	Rabbit
Isotype	IgG
Size	100ul, 50ul, 20ul
Immunogen	Synthesized peptide derived from human UPAR
Mol wt	36850
Species reactivity	Human, Rat, Mouse
Clonality	Polyclonal
Recommended application	WB, ELISA
Concentration	1 mg/ml
Full name	UPAR
Synonyms	UPAR; Urokinase plasminogen activator surface receptor; U-PAR; uPAR; Monocyte activation antigen Mo3; CD antigen CD87

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

Background

Acts as a receptor for urokinase plasminogen activator. Plays a role in localizing and promoting plasmin formation. Mediates the proteolysis-independent signal transduction activation effects of U-PA. It is subject to negative-feedback regulation by U-PA which cleaves it into an inactive form. [Contains 3 UPAR/Ly6 domains. |subunit: Monomer (Probable). Interacts with MRC2.]

Recommended Dilution

WB: 1: 1000 - 1: 2000

ELISA: 1: 5000 - 1: 20000

Not yet tested in other applications.

Images

No images.

Storage

-20°C for 1 year

501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China

Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com