

Ku-80 Monoclonal Antibody

Description

Product type Primary Antibody

Code BT-MCA0824

Host Mouse

Isotype IgG

Size 50ul, 100ul

Immunogen Purified recombinant fragment of human Ku-80 expressed in E. Coli.

Mol wt N/A

Species reactivity Human, Mouse

Clonality Monoclonal

Recommended application WB, IHC-p, IF, ICC, FCM, ELISA

Concentration 1 mg/ml

Full name X-ray repair cross-complementing protein 5

Synonyms XRCC5; G22P2; X-ray repair cross-complementing protein 5; 86 kDa subunit of Ku antigen; ATP-

dependent DNA helicase 2 subunit 2; ATP-dependent DNA helicase II 80 kDa subunit; CTC box-binding

factor 85 kDa subunit; CTC85; CTCBF; DNA repair pr

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

Background


The protein encoded by this gene is the 80-kilodalton subunit of the Ku heterodimer protein which is also known as ATP-dependant DNA helicase II or DNA repair protein XRCC5. Ku is the DNA-binding component of the DNA-dependent protein kinase, and it functions together with the DNA ligase IV-XRCC4 complex in the repair of DNA double-strand break by non-homologous end joining and the completion of V(D)J recombination events. This gene functionally complements Chinese hamster xrs-6, a mutant defective in DNA double-strand break repair and in ability to undergo V(D)J recombination. A rare microsatellite polymorphism in this gene is associated with cancer in patients of varying radiosensitivity.

Recommended Dilution


FC: 1:200 - 1:400 IF: 1:200 - 1:1000 IHC: 1:200 - 1:1000 WB: 1:500 - 1:2000

Not yet tested in other applications.


Images




Western Blot analysis using Ku-80 Monoclonal antibody against HeLa (1) MCF-7 (2) A549 (3) and NIH/3T3 (4) cell lysate.



Immunohistochemistry analysis of paraffin-embedded human tonsil tissues (left) and human colon cancer tissues (right) with DAB staining using Ku-80 Monoclonal antibody.



Immunofluorescence analysis of Hela cells using Ku-80 Monoclonal antibody (green). Red: Actin filaments have been labeled with Alexa Fluor-555 phalloidin.



Flow cytometric analysis of Hela cells using Ku-80 Monoclonal antibody (green) and negative control (purple).

Storage

-20°C for one year

501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China

Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com