

TFIIH p62 Monoclonal Antibody

Description

Product type	Primary Antibody
Code	BT-MCA1198
Host	Mouse
Isotype	IgG
Size	50ul, 100ul
Immunogen	Purified recombinant human TFIIH p62 (N-terminus) protein fragments expressed in E.coli.
Mol wt	N/A
Species reactivity	Human,Mouse,Rat,Bovine,Dog,Pig
Clonality	Monoclonal
Recommended application	WB
Concentration	1 mg/ml
Full name	General transcription factor IIH subunit 1
Synonyms	GTF2H1; BTF2; General transcription factor IIH subunit 1; Basic transcription factor 2 62 kDa subunit; BTF2 p62; General transcription factor IIH polypeptide 1; TFIIH basal transcription factor complex p62 subunit

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

Background


function:Component of the core-TFIIH basal transcription factor involved in nucleotide excision repair (NER) of DNA and, when complexed to CAK, in RNA transcription by RNA polymerase II.,PTM:Phosphorylated.,similarity:Contains 2 BSD domains.,subunit:One of the six subunits forming the core-TFIIH basal transcription factor. Interacts with PUF60.,

Recommended Dilution

WB: 1:1000 - 1:2000

Not yet tested in other applications.

Images



Western Blot analysis using TFIIH p62 Monoclonal antibody against LNCAP, K562 cell lysate.

Storage

-20°C for one year