

# **TORC1 Monoclonal Antibody**

## Description

Product type Primary Antibody

Code BT-MCA1215

Host Mouse

Isotype IgG

Size 50ul, 100ul

Immunogen Purified recombinant human TORC1 (N-terminus) protein fragments expressed in E.coli.

Mol wt N/A

Species reactivity Human, Mouse, Rat, Pig

Clonality Monoclonal

Recommended application WB, FCM, IF, ICC

Concentration 1 mg/m

Full name CREB-regulated transcription coactivator 1

Synonyms CRTC1; KIAA0616; MECT1; TORC1; WAMTP1; CREB-regulated transcription coactivator 1;

Mucoepidermoid carcinoma translocated protein 1; Transducer of regulated cAMP response element-

binding protein 1; TORC-1; Transducer of CREB protein 1

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

### Background

A chromosomal aberration involving CRTC1 is found in mucoepidermoid carcinomas, benign Warthin tumors and clear cell hidradenomas. Translocation t(11|19)(q21|p13) with MAML2. The fusion protein consists of the N-terminus of CRTC1 joined to the C-terminus of MAML2. The reciprocal fusion protein consisting of the N-terminus of MAML2 joined to the C-terminus of CRTC1 has been detected in a small number of mucoepidermoid carcinomas.,function:Transcriptional coactivator for CREB1 which activates transcription through both consensus and variant cAMP response element (CRE) sites. Acts as a coactivator, in the SIK/TORC signaling pathway, being active when dephosphorylated and acts independently of CREB1 'Ser-133' phosphorylation. Enhances the interaction of CREB1 with TAF4.

# Recommended Dilution


FC: 1:100 - 1:200 IF: 1:100 - 1:500 WB: 1:1000 - 1:2000

Not yet tested in other applications.

### **Images**

(ED) 32 45 117.
85TORC1
48342619-

Western Blot analysis using TORC1 Monoclonal antibody against HeLa, Jurkat cell lysate.



Flow cytometric analysis of K562 cells stained with TORC1 Monoclonal antibody (red), followed by FITC-conjugated goat anti-mouse IgG. Blue line histogram represents the isotype control, normal mouse IgG.

# Storage

-20°C for one year

501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China

Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com